



Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81


Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35



Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93



CABINET FEATURES

1. Lift-up glass.
2. Lighting: fluorescent tube with Osram Warm White 830 light. (p)
3. Fixed 16 cm glass top surface.
4. AISI 304 stainless steel display surface.
5. AISI 304 stainless steel unit interior.
6. Working board in stainless steel scratchproof.
7. Stainless-steel paper-holder.
8. Ventilated refrigeration with potentiometer to adjust air flow rate.
9. Ventilated defrosting with compressor block.
10. Cabinet without refrigeration unit: binding clamp.
11. Condensing water collection tank. *
12. Cabinet with refrigeration unit: control panel.
13. R404a thermostatic refrigeration valve. (p)
14. Front and rear bumper skirting.
15. Front plint in stainless steel Scotch Brite.
16. Front panel customisable - see colour chart. (p)
17. Evaporator handled with cataphoresis (excludes EC300).
18. Front LED lighting. *
19. Front stripe customisable - see colour chart. (p)
20. Anti-fogging front ventilation.
21. Multiplexable.
22. Spherical corners 90°-45° internal and external.
23. Intermediate glass shelf. *



ELECTA EC100



Refrigerated, with refrigerated understorage.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: M2

Type of refrigeration: ventilated

Defrosting: compressor stop (resistor *)

Display surface: 0,9 m² per linear meter

Evaporator: cataphoresis treated

Lighting: fluorescent tube with white light (colour 830)



Reactor: electronic

Control: electronic

Average refrigerating power (evaporation -10 °C):
300 W per linear meter

L	93,7	125	187,5	250	312,5	375
	315	425	615	815	1010	1200
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12
	102	139	213	286	360	432
	0,84	1,13	1,7	2,25	2,81	3,38
	1	1	1	2	2	2
	1	1	1	2	2	3
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	430W	430W	500W	590W	950W	950W
	60W	60W	120W	120W	180W	180W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 28W (117) 2 x 21W (87)	3 x 28W (117)
	508	522	678	778	1224	1234
	225W *	300W	450W	600W	750W	900W
	11W *	14W	21W	28W	34W	42W

L = Length without endwalls



ELECTA EC200





Refrigerated, without refrigerator compartments.

Operating temperature: 3°+5°
Climatic class (EN441): 3
Temperature class: M2
Type of refrigeration: ventilated
Defrosting: compressor stop (resistor *)
Display surface: 0,9 m² per linear meter
Evaporator: cataphoresis treated
Lighting: fluorescent tube with white light (colour 830)
Reactor: electronic
Control: electronic
Average refrigerating power (evaporation -10 °C): 300 W per linear meter

L	93,7	125	187,5	250	312,5	375
	315	425	615	815	1010	1200
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12
	0,84	1,13	1,7	2,25	2,81	3,38
	1	1	1	2	2	2
	1	1	1	2	2	3
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	430W	430W	500W	590W	950W	950W
	60W	60W	120W	120W	180W	180W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 28W (117) 2 x 21W (87)	3 x 28W (117)
	511	418	662	766	1200	1214
	225W	300W	450W	600W	750W	900W
	11W	14W	21W	28W	34W	42W

L = Length without endwalls



ELECTA EC250 M1



Refrigerated, without refrigerator compartments.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: M1

Type of refrigeration: ventilated

Defrosting: compressor stop (resistor *)

Display surface: 0,9 m² per linear meter

Evaporator: cataphoresis treated

Lighting: fluorescent tube with white light (colour 830)





Reactor: electronic

Control: electronic

Average refrigerating power (evaporation -10 °C):
360 W per linear meter

L	93,7	125	187,5	250	312,5	375
	360	450	675	900	1125	1350
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 8-14	ø 8-14	ø 8-14	ø 8-14	ø 8-14	ø 8-14
	0,84	1,13	1,7	2,25	2,81	3,38
	1	1	1	2	2	2
	1	1	1	2	2	3
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	430W	430W	500W	590W	950W	950W
	60W	60W	120W	120W	180W	180W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 28W (117) 2 x 21W (87)	3 x 28W (117)
	508	522	678	778	1224	1234
	225W	300W	450W	600W	750W	900W
	11W	14W	21W	28W	34W	42W

L = Length without endwalls



ELECTA EC300






Pastry.

- 1. Top shelf without refrigeration - shelf lighting. *
- 2. Cream-colour painted interior.
- 3. Refrigerated shelf.
- 4. Removable refrigeration drawer.

Operating temperature: 4°/+6°
Climatic class (EN441): 3
Temperature class: H1
Type of refrigeration: ventilated
Defrosting: compressor stop (resistor *)
Display surface: 1,25 m² per linear meter
Evaporator: pre-painted
Lighting: fluorescent tube with white light (colour 830)
Reactor: electronic
Control: electronic
Average refrigerating power (evaporation -10 °C):
300 W per linear meter

L	125	187,5	375
	425	615	1200
	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 6-12
	1,15	2	4,2
	1	1	2
	230-1-50	230-1-50	230-1-50
	430W	500W	950W
	60W	120W	180W
	1 x 28W (117)	2 x 21W (87)	3 x 28W (117)
	522	678	1234
*	300W	450W	900W
*	13W	20W	40W
*	14W	21W	42W

L = Length without endwalls



1. Top shelf without refrigeration - shelf lighting. *
2. Display surface made of bleached oak laminate.
3. Tray for collecting breadcrumbs.


Display surface: 0,83 m² per linear meter

Lighting: fluorescent tube with white light (colour 830)

Reactor: electronic

L	93,7	125	187,5
	0,78	1	1,55
	1	1	1
	1	1	1
	230-1-50	230-1-50	230-1-50
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)
	21	28	42
 *	10W	13W	20W
 *	11W	14W	21W

L = Length without endwalls



ELECTA EC400



Hot, Bain-Marie.





- 1. Heating lamp.
- 2. Food tray heating in bain-marie.
- 3. Electronic floater for water filling.
- 4. Control panel with power control for hot section and heating lamp.

Operating temperature: 70°

Display surface: gastronorm trays h=100 mm

Lighting: infrared lamp

Control: electromechanical




L	125	187,5	250
	ø 40	ø 40	ø 40
	ø 3/4 inches - female	ø 3/4 inches - female	ø 3/4 inches - female
	1	1	2
	1	1	2
	400-3-50	400-3-50	400-3-50
	4000W	4000W	8000W
	1 x 2000W	1 x 2000W	2 x 2000W
	6000	6000	12000

L = Length without endwalls

Dimensions and structure of gastronorm trays:

1/2	1/3	2/3
32,5 x 26,5	32,5 x 17,6	32,5 x 35,4
h 10	h 10	h 10



ELECTA EC410



Dry Hot.




- 1. Heating lamp.
- 2. Heated plate.
- 3. Control panel with power control for hot section and heating lamp.

Operating temperature: 70°

Display surface: 0,68 m² per linear meter






Lighting: infrared lamp

Control: electromechanical



L	125	187,5	250
	1	1	2
	1	1	2
	400-3-50	400-3-50	400-3-50
	1320W	1880W	2640W
	1 x 2000W	1 x 2000W	2 x 2000W
	3320	3880	6640

L = Length without endwalls



ELECTA EC500



Fish, with refrigerated base.

1. Refrigerated deck.
2. Static evaporator handled with anti-corrosion cataphoresis.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: M2

Type of refrigeration: static

Defrosting: compressor stop (resistor *)

Display surface: 0,77 m² per linear meter

Evaporator: cataphoresis treated

Lighting: fluorescent tube with white light (colour 830)




Reactor: electronic

Control: electronic

Average refrigerating power (evaporation -10 °C):
300 W per linear meter

L	125	187,5	250	312,5
	425	615	815	1010
	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 6-12	ø 6-12
	1	1,44	1,92	2,4
	1	1	2	2
	1	1	2	2
	230-1-50	230-1-50	230-1-50	230-1-50
	430W	500W	590W	950W
	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 28W (117) 2 x 21W (87)
	20W	40W	40W	60W
	480	580	690	1080
	300W *	450W	600W	750W
	14W *	21W	28W	34W

L = Length without endwalls



ELECTA

ELECTA (EC100 - EC200)



Service Point.

- 1. Scratchproof AISI 304 stainless steel surface.
- 2. Money drawer with key.
- 3. Rear shelf.

LINEAR SECTION

Length without endwalls: 62,5 - 93,7

Corners.

Operating temperature: 3°/+5°	Evaporator: cataphoresis treated
Climatic class (EN441): 3	Lighting: fluorescent tube with white light (colour 830)
Temperature class: M2	Reactor: electronic
Type of refrigeration: ventilated	Control: electronic
Defrosting: compressor stop (resistor *)	Average refrigerating power (evaporation -10 °C): 300 W per linear meter

	45° Open corner	90° Open corner	45° Closed corner	90° Closed corner
	310	460	310	460
	ø 40	ø 40	ø 40	ø 40
	6-12	6-12	6-12	6-12
	0,48	0,96	0,72	1,44
	1	2	1	2
	–	–	1	2
	400W	380W	430W	430W
	60W	120W	60W	120W
	1x14W (60)	2 x 14W (60)	1x14W (60)	2 x 14W (60)
	474	528	504	578
	225W	300W	225W	450W

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Орел (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киризия +996(312)96-26-47