



Алматы (7273)495-231
 Ангартск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81


Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35


Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93



CABINET FEATURES



1. Customizable upper front stripe. (p)
2. Night curtain-manual type (Ethos D excluded).
3. Lighting: 1 fluorescent tube with Osram Warm White 830 light (Ethos D excluded). (p)
4. Shelf lighting: 1 fluorescent tube with Osram Warm White 830 light. * (p)
5. Vogue Edition: AISI 304 stainless steel shelves. (p)
Pure Edition: Gray painted.
Shelves can be tilted (0°-9°-18°-27°).
6. Evaporator with anti-corrosion painting.
7. Ventilated refrigeration.
8. R404a thermostatic refrigeration valve. (p)
9. Condensate collection tank with evaporation system of condensing water through the recovery of heat compressor and electric resistance (with refrigeration unit).
10. Refrigeration unit.
11. Customizable lowered front panel (47 cm). (p)
12. Multiplexable.
13. Vogue Edition: AISI 304 stainless steel display surface. (p)
Pure Edition: Gray painted.
14. AISI 304 stainless steel unit interior. (p)
15. Price holder.
16. Plexiglass product-holding profile.
17. Electronic control panel.



- EH700 S: 1700 W per linear meter
- EH800 S: 1870 W per linear meter

ETHOS EH700 S					ETHOS EH800 S			
L	93,7	125	187,5	250	93,7	125	187,5	250
	1700	2100	2850	3750	1870	2310	3135	4125
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 8-14	ø 8-14	ø 6-12	ø 6-12	ø 8-14	ø 8-14
	1,58	2,11	3,16	4,22	2,1	2,8	4,2	5,6
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	1850W	2100W	2550W	4200W	1850W	2100W	2550W	4200W
	40W	80W	120W	160W	40W	80W	120W	160W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)
	1911	2208	2712	4416	1911	2208	2712	4416
 *	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)
 *	1 x 10W (87)	1 x 13W (117)	2 x 10W (87)	2 x 13W (117)	1 x 10W (87)	1 x 13W (117)	2 x 10W (87)	2 x 13W (117)
 *	4 x 10W (87)	4 x 13W (117)	8 x 10W (87)	8 x 13W (117)	4 x 10W (87)	4 x 13W (117)	8 x 10W (87)	8 x 13W (117)
 *	225W	300W	450W	600W	225W	300W	450W	600W

149



ETHOS EH700 C - EH800 C



Meat.

1. Glass front profile.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: M2

Type of refrigeration: ventilated

Defrosting: compressor stop (resistor *)

Display surface EH700 C: 1,7 m² per linear meter

Display surface EH800 C: 2,24 m² per linear meter

Evaporator: pre-painted

Lighting: fluorescent tube with white light (colour 830)

Reactor: electronic

Control: electronic



Average refrigerating power (evaporation -10 °C)

- EH700 C: 1900 W per linear meter

- EH800 C: 2090 W per linear meter

	ETHOS EH700 C				ETHOS EH800 C			
L	93,7	125	187,5	250	93,7	125	187,5	250
	1900	2300	3150	4140	2090	2530	3465	4620
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 8-14	ø 8-14	ø 6-12	ø 6-12	ø 8-14	ø 8-14
	1,58	2,11	3,16	4,22	2,1	2,8	4,2	5,6
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	1850W	2100W	2550W	–	1850W	2100W	2550W	–
	40W	80W	120W	160W	40W	80W	120W	160W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)
	1911	2208	2712	216	1911	2208	2712	216
*	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)
*	225W	300W	450W	600W	225W	300W	450W	600W

L = Length without endwalls



ETHOS EH700 F - EH800 F



Fruit - Veggies.

1. Mirror.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: M2

Type of refrigeration: ventilated

Defrosting: compressor stop (resistor *)

Display surface EH700 F: 1,36 m² per linear meter

Display surface EH800 F: 1,81 m² per linear meter

Evaporator: pre-painted

Lighting: fluorescent tube with white light (colour 830)

Reactor: electronic

Control: electronic


Average refrigerating power (evaporation -10 °C)

- EH700 F: 1700 W per linear meter

- EH800 F: 1870 W per linear meter

	ETHOS EH700 F				ETHOS EH800 F			
L	93,7	125	187,5	250	93,7	125	187,5	250
	1700	2100	2850	3750	1870	2310	3135	4125
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 8-14	ø 8-14	ø 6-12	ø 6-12	ø 8-14	ø 8-14
	1,27	1,7	2,54	3,4	1,7	2,26	3,4	4,52
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	1850W	2100W	2550W	4200W	1850W	2100W	2550W	4200W
	40W	80W	120W	160W	40W	80W	120W	160W
	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)	1 x 21W (87)	1 x 28W (117)	2 x 21W (87)	2 x 28W (117)
	1911	2208	2712	4416	1911	2208	2712	4416
	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)	4 x 21W (87)	4 x 28W (117)	8 x 21W (87)	8 x 28W (117)
	1 x 10W (87)	1 x 13W (117)	2 x 10W (87)	2 x 13W (117)	1 x 10W (87)	1 x 13W (117)	2 x 10W (87)	2 x 13W (117)
	3 x 10W (87)	3 x 13W (117)	6 x 10W (87)	6 x 13W (117)	3 x 10W (87)	3 x 13W (117)	6 x 10W (87)	6 x 13W (117)
	225W	300W	450W	600W	225W	300W	450W	600W

L = Length without endwalls



ETHOS EH710 D - EH730 D - EH750 D



Drinks.

Operating temperature: 3°/+5°

Climatic class (EN441): 3

Temperature class: H1

Type of refrigeration: ventilated

Defrosting: compressor stop (resistor *)

Display surface EH710 D: 0,9 m² per linear meter

Display surface EH730 D: 0,98 m² per linear meter

Display surface EH750 D: 1,18 m² per linear meter

Evaporator: pre-painted

Lighting: fluorescent tube with white light (colour 830) only on shelf *

Reactor: electronic

Control: electronic

Average refrigerating power (evaporation -10 °C)

- EH710 D: 700 W per linear meter

- EH730 D: 900 W per linear meter

- EH750 D: 1100 W per linear meter

ETHOS EH710 D				ETHOS EH730 D			ETHOS EH750 D		
L	93,7	125	187,5	93,7	125	187,5	93,7	125	187,5
	700	880	1310	900	1130	1700	1100	1380	2070
	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40	ø 40
	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12	ø 6-12
	0,84	1,12	1,68	0,91	1,22	1,83	1,1	1,47	2,76
	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50	230-1-50
	940W	1190W	1550W	1190W	1390W	1990W	1390W	1550W	1990W
	40W	80W	120W	40W	80W	120W	40W	80W	120W
	980	1270	1620	1230	1470	2110	1430	1630	2110
 *	2 x 21W (87)	2 x 28W (117)	4 x 21W (87)	2 x 21W (87)	2 x 28W (117)	4 x 21W (87)	3 x 21W (87)	3 x 28W (117)	6 x 21W (87)
 *	2 x 10W (87)	2 x 13W (117)	4 x 10W (87)	2 x 10W (87)	2 x 13W (117)	4 x 10W (87)	3 x 10W (87)	3 x 13W (117)	6 x 10W (87)
 *	225W	300W	450W	225W	300W	450W	225W	300W	450W

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://criocabin.nt-rt.ru/> || cnv@nt-rt.ru